





Adattatori STANDARD
Standard adapters

28
mm


ADS.030.TOL



Adattatore per rullo Ø 30 mm tondo
Adapter for Ø 30 mm tube

35
mm



PN.ADS.040.OTT



Coppia adattatori per rullo 40 mm ottagonale
Crown & adapter for 40 mm octagonal tube

35
mm


PN.ADS.040.TON



Coppia adattatori per rullo Ø 40 mm tondo
Crown & adapter for Ø 40 mm tube

35
mm



PN.ADS.043.TON



Coppia adattatori per rullo Ø 43 mm tondo
Crown & adapter for Ø 43 mm tube

35
mm



PN.ADS.C50.TON



Coppia adattatori per rullo Ø 50 mm tondo (motori Ø 35)
Crown & adapter for Ø 50 mm tube (Ø 35 motors)

35
mm




PN.ADS.057.000



Coppia adattatori per rullo Ø 57 mm tondo
Crown & adapter for Ø 57 mm tube

35
mm


PN.ADS.057.MRN



Coppia adattatori per rullo Ø 57 mm ACMEDA
Crown & adapter for Ø 57 mm tube ACMEDA

35
mm


CRN.040.050.UNI



Corona universale per motori Ø40mm su Ø50mm
Universal crown for Ø40mm motors on Ø50mm

45 mm


CRN.063.ZIP.000



Corona sottile per tende con ZIP
Thin crown for ZIP screens

45 mm



PN.ADS.050.TON




Adattatore per rullo Ø 50 mm tondo
Adapter for Ø 50 mm tube

45 mm

PN.ADS.060.OTT






Coppia adattatori per rullo 60 mm ottagonale
Crown & adapter for 60 mm octagonal tube

45 mm

PN.ADS.A60.OTT

AL







Coppia adattatori in alluminio per rullo 60 mm ottagonale
Crown & aluminium adapter for 60 mm octagonal tube

45 mm

PN.ADS.070.OTT






Coppia adattatori per rullo 70 mm ottagonale
Crown & adapter for 70 mm octagonal tube

45 mm

PN.ADS.A70.OTT

AL







Coppia adattatori in alluminio per rullo 70 mm ottagonale
Crown & aluminium adapter for 70 mm octagonal tube

45 mm

PN.ADS.060.TON






Coppia adattatori per rullo Ø 60 tondo
Crown & adapter for Ø 60 mm tube

45 mm

PN.ADS.A60.TON

AL







Coppia adattatori in alluminio per rullo Ø 60 tondo
Crown & aluminium adapter for Ø 60 mm tube

45 mm

PN.ADS.070.OGI






Coppia adattatori per rullo Ø 70 ogiva
Crown & adapter for Ø 70 mm ogive tube

45 mm

PN.ADS.A70.OGI

AL





Coppia adattatori in alluminio per rullo Ø 70 ogiva
Crown & aluminium adapter for Ø 70 mm ogive tube

45 mm

PN.ADS.078.OGI






Coppia adattatori per rullo Ø 78 ogiva
Crown & adapter for Ø 78 mm ogive tube

45 mm

PN.ADS.A78.OGI

AL






Coppia adattatori in alluminio per rullo Ø 78 ogiva
Crown & aluminium adapter for Ø 78 mm ogive tube

45 mm

PN.ADS.073.DOG




73 x 1

Coppia adattatori per rullo Ø 73 mm DOPPIA OGIVA
Crown & adapter for Ø 73 mm double ogive tube

45 mm

PN.ADS.080.DOG




80 x 1

Coppia adattatori per rullo Ø 80 mm DOPPIA OGIVA
Crown & adapter for Ø 80 mm double ogive tube

45 mm

PN.ADS.085.OGI



80 x 1,2

Coppia adattatori per rullo Ø 85 mm ogiva
Crown & adapter for Ø 85 mm ogive tube

45 mm

PN.ADS.A85.OGI

AL



80 x 1,2

Coppia adattatori in alluminio per rullo Ø 85 mm ogiva
Crown & aluminium adapter for Ø 85 mm ogive tube

45 mm

PN.ADS.A10.OGI

AL




100 x 1,2

Coppia adattatori in alluminio per rullo Ø 100 mm ogiva
Crown & aluminium adapter for Ø 100 mm ogive tube

45 mm

PN.ADS.063.RBT




63 x 1

Coppia adattatori per rullo Ø 63 mm - ROLLERBAT
Crown & adapter for Ø 63 mm - ROLLERBAT

45 mm

PN.ADS.070.RBT




70 x 1

Coppia adattatori per rullo Ø 70 mm - ROLLERBAT
Crown & adapter for Ø 70 mm - ROLLERBAT









45 mm

PN.ADS.080.RBT




80 x 1

Coppia adattatori per rullo Ø 80 mm - ROLLERBAT
Crown & adapter for Ø 80 mm - ROLLERBAT



59 mm

ADS.070.OTT.059




70 x 1,1

Coppia adattatori per rullo 70 mm ottagonale
Crown & adapter for 70 mm octagonal tube

59 mm

ADS.A70.OTT.059

AL




70 x 1,1

Coppia adattatori in alluminio per rullo 70 mm ottagonale
Crown & aluminium adapter for 70 mm octagonal tube

59 mm

ADS.078.OGI.059



78 x 1

Coppia adattatori per rullo Ø 78 mm ogiva
Crown & adapter for Ø 78 mm ogive tube

59 mm

ADS.A78.OGI.059

AL



78 x 1

Coppia adattatori in alluminio per rullo Ø 78 mm ogiva
Crown & aluminium adapter for Ø 78 mm ogive tube

59 mm

ADS.085.OGI.059



85 x 1,2

Coppia adattatori per rullo Ø 85 mm ogiva
Crown & adapter for Ø 85 mm ogive tube

59 mm

ADS.A85.OGI.059

AL




85 x 1,2

Coppia adattatori in alluminio per rullo Ø 85 mm ogiva
Crown & aluminium adapter for Ø 85 mm ogive tube

59 mm


ADS.100.TON.059

AL



100 x 1,2

Coppia adattatori in alluminio per rullo Ø 100 mm
Crown & aluminium adapter for Ø 100 mm tube



Adattatori COMPENSATI Offset adapters

Solo per motori finecorsa elettronici
For electronic limit switch motors only

35 mm


PN.ADC.140.TON



Coppia adattatori compensati per rullo Ø 40 mm tondo
Crown & offset adapter for Ø 40 mm round tube

45 mm


PN.ADC.150.TON



Coppia adattatori compensati per rullo Ø 50 mm tondo
Crown & offset adapter for Ø 50 mm round tube

45 mm


PN.ADC.160.OTT



Coppia adattatori compensati per rullo 60 mm ottagonale
Crown & offset adapter for 60 mm octagonal tube

45 mm

PN.ADC.170.OTT



Coppia adattatori compensati per rullo 70 mm ottagonale
Crown & offset adapter for 70 mm octagonal tube

45 mm

PN.ADC.170.OGI



Coppia adattatori compensati per rullo Ø 70 mm ogiva
Crown & offset adapter for Ø 70 mm ogive tube

45 mm

PN.ADC.178.OGI



Coppia adattatori compensati per rullo Ø 78 mm ogiva
Crown & offset adapter for Ø 78 mm ogive tube

45 mm

PN.ADC.185.OGI






Coppia adattatori compensati per rullo Ø 85 mm ogiva
Crown & offset adapter for Ø 85 mm ogive tube

45 mm

PN.ADC.100.OGI




Coppia adattatori compensati per rullo Ø 100 mm ogiva
Crown & offset adapter for Ø 100 mm ogive tube



Supporti e Accessori
Brackets and Accessories


SUP.001.000

Supporto verticale asolato
Slotted star hole vertical bracket




SUP.002.000

Supporto verticale asolato con sella
Slotted vertical bracket with square support




SUP.003.000

Supporto con foro stella dado-controdado
Star hole bracket with locknut




SUP.004.000

Supporto omega con foro stella
Star hole omega bracket




SUP.005.000

Supporto omega per tende da sole
Omega bracket for sun awnings




SUP.006.000

Supporto diretto (ø45mm)
Bracket for direct fixing (ø45mm)




SUP.007.000

Supporto diretto (ø35mm)
Bracket for direct fixing (ø35mm)




SUP.008.000

Piastra 100x100mm con sella
Bracket (100x100mm) with square support




SUP.009.000

Piastra 100x100mm multiforo
100x100mm multi hole plate




SUP.010.000

Supporto ABS diretto (ø35mm)
ABS bracket for direct fixing (ø35mm)




SUP.011.000

Supporto ABS diretto (ø45mm)
ABS bracket for direct fixing (ø45mm)




SUP.012.000

Supporto Alluminio diretto (ø45mm)
Aluminium bracket for direct fixing (ø45mm)




SUP.015.000

Piastrina a croce (ø35mm)
Bracket with cross hole (ø35mm)




SUP.016.000

Inserto foro stella
Star hole insert




SUP.018.000

Cuscinetto universale
Universal bearing




SUP.019.000

Cuscinetto per cassonetti termoisolanti
Bearing for thermic insulation boxes




SUP.020.000

Cuscinetto regolabile con perno M10
Adjustable bearing with M10 pin




SUP.021.000

Supporto omega basso h=8mm
Low omega bracket h=8mm




SUP.022.055

Supporto omega h15 per tende da sole
Omega bracket h15 for sun awnings




SUP.023.055

Supporto piatto con foro a stella 16x16
16x16 star hole flat plate




SUP.024.055

Piastra 100x100 multiforo
con supporto omega e foro 16x16
100x100 multi hole plate
with omega bracket and 16x16 hole




SUP.025.055

Supporto foro quadro 16x16 - dado controdado M12
16x16 square hole bracket with locknut M12




SUP.029.000

Supporto verticale con sblocco
Vertical support with release




SUP.030.000

Piastra 100x100mm con sella da 16
Bracket (100x100mm) with 16 square support




SUP.031.000

Supporto femmina
Female bracket




SUP.PRQ.001

Perno quadro motori elettronici (ø45mm)
Square pin for electronic LS motors (ø45mm)




SUP.PRQ.002

Perno quadro motori meccanici (ø45mm)
Square pin for mechanical LS motors (ø45mm)




SUP.PRQ.003

Perno quadro 90° per motori Saturn
90° square pin for Saturn motors




SUP.PRQ.004

Perno quadro 45° per motori Saturn
45° square pin for Saturn motors




SUP.PRQ.005

Perno quadro 90° (ø35mm)
90° square pin (ø35mm)




SUP.PRQ.006.ULS

Perno quadro 16x16 per Ulisse
16x16 square pin for Ulisse




SUP.PRQ.007.GLA

Perno quadro 16x16 per Golia
16x16 square pin for Golia




SUP.PRQ.008

Perno quadro 90°(Neptune)
90° square pin (Neptune)




OCS.SAT.115

Occhiolo h115 per Saturn-Neptune
Crank handle eyelet h115 for Saturn-Neptune




OCS.SAT.155

Occhiolo h155 per Saturn-Neptune
Crank handle eyelet h155 for Saturn-Neptune



OCS.SAT.115.ULS


Occhiolo h=115mm per Ulisse
Crank handle eyelet h=115mm for Ulisse



Quote in "mm" - Dimensions in "mm"


SND.045.OCC

Snodo cardanico 45° con occhio in plastica
45° universal joint with plastic eyelet




SND.090.OCC

Snodo cardanico 90° con occhio in plastica
90° universal joint with plastic eyelet




SND.045.170

Snodo 45° ad innesto rapido
45° fast connection joint




SND.PRO.170

Snodo cardanico con prolunga
Universal joint with extension rod




AST.170.GNC

Asta snodata con gancio L=1700mm
Jointed rod with hook L=1700mm



AST.150.SGB


Asta snodata con innesto rapido L=1500mm
Jointed rod with fast connection L=1500mm



Quote in "mm" - Dimensions in "mm"

SUP.CTP.060


Calotta telescopica per rullo 60 ottagonale
Telescopic cap for 60 mm octagonal tube



60 x 1

SUP.CTP.070


Calotta telescopica per rullo 70 ottagonale
Telescopic cap for 70 mm octagonal tube



70 x 1,1


SUP.CTP.078

Calotta telescopica per rullo ø78 ogiva
Telescopic cap for ø78 ogive tube



RUL.060.OTT


Rullo 60 ottagonale L=3000
60 mm octagonal tube L=3000



60 x 1


AEF.MTK.209

Motionblock 2 elementi profilo 8/9
2 element security lock for 8/9 mm slat




AEF.MTK.214

Motionblock 2 elementi profilo 14
2 element security lock for 14 mm slat




AEF.MTK.309

Motionblock 3 elementi profilo 8/9
3 element security lock for 8/9 mm slat



AEF.MTK.314

Motionblock 3 elementi profilo 14
3 element security lock for 14 mm slat



AEF.060.CHI


Anello adattatore per rullo 60 ottagonale
Fixing ring for 60 mm octagonal tube



60 x 1

AEF.070.CHI


Anello adattatore per rullo 70 ottagonale
Fixing ring for 70 mm octagonal tube



70 x 1,1

CPM.000.300







Cavo prova motori
Motor test cable



L=2000

Quote in "mm" - Dimensions in "mm"

Tavole sinottiche



Quote in "mm" - Dimensions in "mm"